

Corrigendum

In the paper entitled “Effect of differently functionalized carbon nanotubes on the properties of composite nanofibres”, *Indian Journal of Fibre & Textile Research*, Vol. 41, June 2016, pp. 138-144, Table 1 on page 142 should read as

Table 1—Tensile properties and conductivities of pure PAN and composite nanofibres.

| Sample | Tensile strength MPa | Breaking elongation % | E-modulus MPa | Conductivity S/cm |
|-------------------------|----------------------|-----------------------|---------------|--|
| Pure PAN | 1.56±0.23 | 17.24±2.41 | 12.6±1.77 | 10 ⁻¹² |
| PAN/p-MWCNT | 2.18±0.29 | 12.63±1.72 | 19.5±6.72 | 1.92*10 ⁻⁷ ±0.59*10 ⁻⁷ |
| PAN/MWCNT-COOH | 2.25±0.37 | 17.28±2.44 | 14.5±6.37 | 1.72*10 ⁻⁷ ±0.33*10 ⁻⁷ |
| PAN/CNT-OH | 2.25±0.16 | 15.00±2.98 | 14.8±7.96 | 2.09*10 ⁻⁷ ±0.73*10 ⁻⁷ |
| PAN/CNT-NH ₂ | 2.41±0.73 | 14.32±3.34 | 22.8±6.76 | 2.60*10 ⁻⁷ ±0.76*10 ⁻⁷ |