



Diversity of medicinal plants used as male contraceptives: An initiative towards herbal contraceptives

Wajid Zaman^a, Mushtaq Ahmad^b, Muhammad Zafar^b, Hafiza Amina^b, Lubna^b, Saddam Saqib^b, Fazal Ullah^{b,*,†}, Asma Ayaz^c, Saraj Bahadur^d & SeonJoo Park^{a,*,‡}

aDepartment of Life Sciences, Yeungnam University, Gyeongsan 38541, Gyeongbuk, Republic of Korea
 bDepartment of Plant Sciences, Quaid- i- Azam University Islamabad, 45320, Pakistan
 cState Key Laboratory of Biocatalysis and Enzyme Engineering, School of Life Sciences, Hubei University, Wuhan, 430062, China
 dWuzhishan National Long-Term Forest Ecosystem Monitoring Research Station, College of Forestry, Hainan University, Haikou 570228, China

E-mail: \$\frac{1}{2}\sipark01@ynu.ac.kr; \$\frac{1}{2}\frac{1}{2}\sipark01@gmail.com

Supplementary Table 1 Medicinal plants used as male contraceptives in study area

Botanical name / voucher number / Family	English name	Habit	Part used	Mode of utilization	Method of preparation	FC ^{1*}	RFC ^{2*}	DCI Final ^{3*}	Previous Studies ^{4*}
Achillea santolinoides subsp. wilhelmsii (K. Koch) Greuter / HAR 81 (Asteraceae)	Yarrow	Herb	Leaves, Root	Powder	Leaves are dried, powdered and taken thrice a day.	39	0.21	0.56	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140,150
Achillea millefolium L. / HAR 43 (Asteraceae)	Blood wort	Herb	Flower, Leaves	Powder	One teaspoon of the powder is taken with water daily.	40	0.22	0.59	1■, 2∘, 3∘, 4∘, 5∘, 6■, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Achyranthes aspera L. / HAR 44 (Amaranthaceae)	Prickly chaff flower, Devil's horsewhip	Herb	Leaves	Decoction	Leaves decoction taken once daily.	38	0.21	0.53	$1 \blacksquare, 2 \circ, 3 \blacksquare, 4 \blacksquare, 5 \circ, 6 \square, 7 \circ, 8 \blacksquare, 9 \blacksquare, 10 \circ, 11 \blacksquare, 12 \blacksquare, 13 \blacksquare, 14 \circ, 15 \square$

Aegle marmelos (L.) Corréa / HAR 45 (Rutaceae)	Golden apple	Tree	Leaves, Fruit	Powder	Two tablespoons of powder are taken with milk or honey orally for 3 days.	35	0.19	0.5	1 . , 2 . , 3 . , 4 . , 50, 6 . , 70, 80, 9 . , 100, 110, 12 . , 130, 14 . , 15 .
Albizia lebbeck (L.) Benth. / HAR 46 (Mimosaceae)	Lebbeck, Women's tree tongue	Tree	Pod, Bark	Decoction	Pod decoction is used thrice a day for 3-5 days.	45	0.25	0.63	1 ■ , 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9 ■ , 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Albizia procera (Roxb Benth. / HAR 47 (Mimosaceae)) White siris	Tree	Seed, Roots, Bark	Powder	One teaspoon powder is taken with milk twice a day.	39	0.21	0.59	1■, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Allamanda cathartica L. / HAR 82 (Apocynaceae)	Golden Trumpet	Shrub	Leaves, Flower	Juice	Half a cup of juice is taken once daily for 15 days.	37	0.21	0.52	10, 2∎, 30, 4∎, 50, 60, 70, 80, 9∎, 100, 110, 120, 130, 140, 15∎
Allium cepa L. /HAR 5 (Alliaceae)	Onion	Herb	Bulb	Paste	Two to three pieces of the bulb are crushed to paste and taken with mustard oil in the evening.	55	0.30	0.78	10, 20, 30, 40, 50, 6∎, 7∎, 80, 9□, 100, 11∎, 120, 130, 140, 15∎
Allium sativum L. / HAR 7 (Alliaceae)	Garlic	Herb	Pod	Paste	One piece of the pod is crushed and taken orally once a day.	51	0.28	0.72	1 1 , 2 1 , 3 1 , 4 1 , 50, 60, 7 1 , 8 1 , 9 1 , 100, 11 1 , 120, 130, 140, 150
Aloe vera (L.) Burm.f. / HAR 48 (Aloaceae)	Aloe vera	Herb	Leaves	Juice	Juice made from leaves is taken orally once daily.	40	0.22	0.54	1∎, 2∎, 3∎, 4∘, 5∘, 6∘, 7∎, 8□, 9∎, 10∘, 11∎, 12∘, 13∘, 14∘, 15∘

Alstonia scholaris (L.) R.Br. /HAR 49 (Apocynaceae)	Blackboard tree, Indian Devil tree	Tree	Bark, Stem	Powder	The bark is crushed together with black pepper and the mixture formed is taken orally.	38	0.21	0.54	1■, 2∘, 3∘, 4■, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Anagallis arvensis L. / HAR 50 (Primulaceae)	Scarlet Pimpernel, Red chickweed	Herb	Whole plant	Powder	Half a teaspoon of the powder is taken with water two hours before sleeping.	42	0.23	0.57	1 1 , 20, 3 1 , 40, 50, 60, 70, 80, 9 1 , 100, 110, 120, 130, 140, 150
Anethum graveolens L. / HAR 96 (Apiaceae)	Dill	Herb	Seeds	Decoction		36	0.2	0.5	10, 2 1 , 30, 4 1 , 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Annona squamosa L. / HAR 51 (Annonaceae)	Custard apple, Sugar apple	Shrub	Seeds	Powder	One teaspoon of seed powder is taken with milk daily.	35	0.19	0.48	1■, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9∎, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Azadirachta indica A. Juss. /HAR 16 (Meliaceae)	Nimtree, Indian Lilac	Tree	Seed, Bark, Leaves	Powder	Pills made from the ground seed, bark and leaves are taken regularly.	44	0.24	0.66	1∎, 2ш, 3ш, 4ш, 5ш, 6ш, 7ш, 8□, 9ш, 10ш, 11ш, 12ш, 13∘, 14∘, 15ш
Bambusa bambos (L.) Voss / HAR 52 (Poaceae)	Bamboo, Spiny Bamboo	Herb	Stem, Shoot	Juice	Juice of fresh stem is used for three to four days.	39	0.21	0.56	10, 20, 30, 40, 50, 60, 7∎, 80, 9∎, 100, 110, 120, 130, 140, 150
Barleria prionitis L. / HAR 53 (Acanthaceae)	Porcupine flower	Shrub	Root, Leaves, Stem	Powder	One teaspoon of dried and crushed plant material is taken twice a day.	36	0.2	0.53	1 1 , 2 1 , 3 1 , 4 1 , 50, 60, 70, 80, 9 1 , 100, 110, 120, 130, 140, 15 1

Berberis chitria Buch. Ham. ex Lindl. / HAR 54 (Berberidaceae)	- Indian Barberry	Shrub	Root	Powder	Dried roots are crushed, mixed in sugar and taken once a day for two weeks.	45	0.25	0.63	1■, 2∘, 3■, 4∘, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Berberis lycium Royle. / HAR 2 (Berberidaceae)	Berberry	Herb	Bark, Roots	Decoction		40	0.22	0.58	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140,150
Bombax ceiba L. / HAR 77 (Bombacaceae)	Silk Cotton tree	Tree	Fruit	Powder	Dried fruit is ground with sugar taken thrice daily for 10 days.	35	0.19	0.49	10, 20, 30, 40, 50, 60, 7∎, 8∎, 90, 100, 11□, 120, 130, 140, 150
Butea monosperma (Lam.) Taub. / HAR 80 (Fabaceae)	Flame of the Forest	Tree	Flower	Powder	Flowers are dried and taken half teaspoon daily for two weeks.	39	0.21	0.54	1∎, 2∘, 3∘, 4∘, 5∘, 6∘, 7∎, 8∎, 9∎, 10∘, 11□, 12∘, 13∎, 14∎, 15∘
Calotropis procera (Aiton) Dryand. / HAR 30 (Asclepiadaceae)	Apple of Sodom, Rubber tree	Shrub	Leaves, Flower	Juice	50 mL juice of fresh plant part is taken.	43	0.23	0.61	1 1 , 20, 3 1 , 40, 50, 60, 70, 80, 9 1 , 10 1 , 11 1 , 120, 130, 140, 150
Cannabis sativa L. / HAR 1 (Cannabaceae)	Indian hemp	Herb	Leaves, Roots	Powder	25 g murdannia alba, 50 g of plantago bark is grinded, filtered and mixed with powdered cannabis, heat them combinedly in milk and used twice a day.	51	0.28	0.73	10, 2 1 , 3 1 , 4 1 , 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150

Capparis decidua (Forssk.) Edgew. / HAR 97 (Capparaceae)	Caper plant	Shrub	Whole plant	Juice	Two teaspoon juice of the fresh plant is taken regularly in the morning.	43	0.23	0.6	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140,150
Carica papaya L. / HAR 8 (Caricaceae)	Papaya	Herb	Seed	Powder	Half teaspoon powder of dried seeds is taken with honey regularly.	55	0.31	0.77	1■, 2■, 3■, 4■, 5□, 6■, 7○, 8○, 9■, 10■, 11○, 12■, 13■, 14○, 15○
Cassia fistula L. / HAR 83 (Fabaceae)	Golden shower	Tree	Seeds	Decoction	Seed decoction is taken daily before sleeping.	40	0.22	0.54	$1\circ, 2\circ, 3\circ, 4\circ, 5\blacksquare, 6\blacksquare, 7\circ, 8\circ, 9\Box, 10\circ, 11\circ, 12\circ, 13\circ, 14\circ, 15\blacksquare$
Senna occidentalis (L.) Link / HAR 84 (Fabaceae)	Coffee senna	Shrub	Roots	Powder	Dried roots are crushed and taken with milk.	37	0.21	0.52	10, 20, 30, 40, 50, 60, 7∎, 80, 90, 100, 110, 120, 130, 140, 15∎
Catharanthus roseus (L.) G.Don / HAR 28 (Apocynaceae)	Vinca, Rose periwinkle	Shrub	Leaves	Juice	Leaves juice is taken regularly for 10 days.	37	0.21	0.5	1■, 2∘, 3∘, 4■, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Cestrum parqui (Lam.) L'Her / HAR 90 (Solanaceae)	Chilean Cestrum, Green Cestrum	Shrub	Leaves	Juice	Leaves are crushed, mixed in cold water and stained. This water should be taken once a day.	36	0.2	0.51	10, 20, 30, 4∎, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Chenopodium album L. / HAR 91 (Chenopodiaceae)	. Lamb's-quarters	Herb	Whole plant	Juice	The juice is prepared and 3 teaspoons are used twice daily for 10- 12 days.	41	0.22	0.57	10, 20, 3∎, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150

Cicer arietinum L. / HAR 11 (Fabaceae)	Chickpea	Herb	Leaves	Decoction	Leaves are boiled and used daily.	47	0.26	0.64	10, 20, 30, 40, 50, 60, 70, 80, 9□, 100, 110, 120, 130, 140, 150
Cichorium intybus L. / HAR 29 (Asteraceae)	Blue Dandelion, Wild endive	Herb	Whole plant	Powder	The dried plant is crushed and taken with water regularly for one week.	50	0.28	0.69	10, 20, 30, 40, 50, 60, 70, 80, 9 m , 100, 110, 120, 130, 140, 150
Cissampelos pareira L. / HAR 86 (Menispermaceae)	. Velvet leaf	Climber	Leaves	Juice	Half teaspoon juice of fresh leaves is used twice a day for two weeks.	39	0.22	0.54	10, 20, 30, 40, 50, 6∎, 70, 80, 9□, 100, 110, 12∎, 130, 14∎, 15∎
Citrullus colocynthis L Schrad / HAR 21 (Cucurbitaceae)	. Bitter apple, Colocynth	Herb	Seed	Powder	One teaspoon of dried seeds are taken once a day regularly.	45	0.25	0.62	1■, 2■, 3■, 4■, 5□, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15■
Coriandrum sativum L. / HAR 78 (Apiaceae)	. Coriander	Herb	Seed	Powder	5-10 g of seeds powder is taken with water daily.	48	0.27	0.65	10, 20, 30, 40, 50, 60, 70, 8 1 , 90, 100, 110, 120, 130, 140, 150
Crotalaria juncea L. / HAR 55 (Fabaceae)	Brown hemp	Herb	Seed	Powder	Half teaspoon powder of dried seeds is taken with milk daily before sleeping.	41	0.23	0.58	1 1 , 2 1 , 3 1 , 4 1 , 50, 60, 7 1 , 80, 9 1 , 100, 110, 12 1 , 130, 140, 150
Cucumis sativus L. / HAR 13 (Cucurbitaceae)	Cucumber	Herb	Whole plant	Juice	One cup of juice is taken once daily.	40	0.22	0.56	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Cuminum cyminum L. / HAR 31 (Apiaceae)	Cumin	Herb	Seed	Powder	One teaspoon seed powder is taken daily before sleeping.	36	0.2	0.5	1 1 , 20, 3 1 , 4 1 , 50, 6 1 , 7 1 , 80, 9 1 , 100, 110, 120, 130, 140, 150
Curcuma longa L. / HAR 19 (Zingiberaceae)	Turmeric	Herb	Whole plant	Powder	The powder of the plant is mixed with	40	0.22	0.47	1 1 , 2 1 , 3 1 , 4 1 , 5 1 , 6 1 , 70, 8 1 , 9 1 , 100, 110, 12 1 , 130, 14 1 , 150

Cyperus esculentus L.	Yellow nutsedge	Herb	Roots	Powder	water and taken once daily. Dried roots are	38	0.21	0.53	10, 20, 30, 40, 50, 60, 70,
/ HAR 10 (Cyperaceae)	C				ground and used with milk once daily for two weeks.				80, 90, 100, 110, 120, 130, 140,150
Datura stramonium L. / HAR 3 (Solanaceae)	Jimson's weed, Devil's snare	Herb	Roots, Leaves	Decoction	The decoction of roots is used with honey twice a day for two weeks.	50	0.27	0.71	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Daucus carota L. / HAR 56 (Apiaceae)	Wild carrot	Herb	Seeds	Powder	Dried seeds are ground and used in small quantity before sleeping.	35	0.19	0.49	1∎, 2∘, 3∘, 4∘, 5∎, 6□, 7∘, 8∘, 9∎, 10∘, 11∘, 12∘, 13∘, 14∎, 15∎
Desmodium gangeticum (L.) DC. / HAR 60 (Fabaceae)	nTick tree	Shrub	Whole plant	Juice	Two teaspoon juice of the fresh plant is taken daily in the evening.	35	0.19	0.49	10, 20, 30, 40, 50, 60, 70, 80, 9∎, 100, 110, 120, 130, 140, 150
Dodonaea viscosa (L.) Jacq. / HAR 87 (Sapindaceae)	Hopbush	Shrub	Whole plant	Juice	Two cups of juice of the fresh plant is used daily for 1 week.	52	0.28	0.72	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Epilobium angustifolium L. / HAR 61 (Onagraceae)	Fire weed	Herb	Leaves	Powder	Powder of dried leaves is taken with water once daily.	40	0.22	0.57	1∎, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9∘, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Euphorbia neriifolia L. / HAR 62 (Euphorbiaceae)	. Milk spurge	Shrub	Roots	Decoction	The decoction of 200 g roots prepared in one liter of water. One cup is taken daily.	36	0.2	0.51	1∎, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9∎, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘

Fagonia indica Burm. f. / HAR 20 (Zygophyllaceae)	Fagonia	Shrub	Whole plant	Powder	The whole plant is shade dried, ground and taken with water daily for two weeks.	39	0.21	0.55	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Ficus racemosa L. / HAR 14 (Moraceae)	Cluster fig	Tree	Bark	Decoction Powder		42	0.23	0.62	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Foeniculum vulgare Mill. / HAR 32 (Apiaceae)	Fennel	Herb	Whole plant	Juice	One teaspoon of juice is used daily before sleeping.	40	0.22	0.56	10, 20, 30, 40, 50, 60, 70, 8□, 9■, 100, 110, 120, 130, 140, 150
Gossypium herbaceum L. / HAR 18 (Malvaceae)	Levant Cotton, Cotton	Shrub	Seed	Oil	One teaspoon of oil is mixed with milk and taken daily.	35	0.19	0.57	1■, 2∘, 3∘, 4∘, 5∘, 6∘, 7■, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Gossypium hirsutum L. / HAR 26 (Malvaceae)	Mexican cotton	Shrub	Seed	Oil	One teaspoon of oil is mixed with milk and taken daily.	39	0.21	0.54	$1\circ$, $2\circ$, $3\circ$, $4\circ$, $5\Box$, $6\circ$, $7\circ$, $8\circ$, $9\circ$, $10\circ$, $11\circ$, $12\circ$, $13\circ$, $14\circ$, $15\circ$
Hedera nepalensis K. Koch. / HAR 63 (Araliaceae)	Himalayan ivy	Climber	Inflorescence	Powder	Flowers are dried, ground and taken in small quantity with water early in the morning.	40	0.22	0.57	1■, 2∘, 3■, 4∘, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Hibiscus rosa- sinensis L. / HAR 33 (Malvaceae)	Shoe flower, Rose of China	Shrub	Flower	Decoction	The decoction of dried flowers is taken twice daily.	38	0.21	0.53	1 1 , 20, 3 1 , 4 1 , 5 1 , 60, 70, 80, 9 1 , 100, 11 1 , 12 1 , 130, 140, 150
Hydrocotyle javanica Thunb. / HAR 85 (Apiaceae)	Java pennywort	Herb	Whole plant	Juice	Juice extracted from the whole plant is taken for two weeks.	35	0.19	0.49	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 15■

Hyptis suaveolens (L.) Poit. / HAR 64 (Lamiaceae)	Chinese mint, Mint weed	Herb	Whole plant	Juice	Leaves are squeezed and juice is taken thrice daily.	36	0.2	0.51	1■, 2○, 3○, 4○, 5○, 6○, 7■, 8○, 9■, 10○, 11○, 12■, 13○, 14○, 15○
Juniperus communis L / HAR 37 (Cupressaceae)	. Juniper	Shrub	Fruit	Decoction	The decoction of fruit is used once daily in the morning.	41	0.23	0.58	10, 20, 30, 40, 50, 60, 70, 80, 9 \square , 100, 110, 120, 130, 140, 150
Justicia adhatoda L. / HAR 58 (Acanthaceae)	Malabar nut	Shrub	Leaves	Juice	One teaspoon juice of fresh leaves is used daily for 10 days.	55	0.31	0.77	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Justicia japonica Thunb/ HAR 65 (Acanthaceae)	Rostellularia	Herb	Leaves	Juice	Half a cup of juice is used daily for 5 days.	43	0.24	0.61	1 a , 20, 30, 40, 50, 60, 70, 80, 9 a , 100, 110, 120, 130, 140, 150
Lawsonia inermis L. / HAR 15 (Lythraceae)	Henna tree	Tree	Leaves	Juice	50 g of fresh leaves juice is to be taken once in a day.	44	0.24	0.65	10, 20, 30, 40, 50, 60, 7∎, 80, 90, 10∎, 11□, 120, 130, 140, 150
Madhuca longifolia (J.Koenig ex L) J.F Macbr / HAR 88 (Sapotaceae)	Butter nut tree, Indian butter tree	Tree	Leaves	Decoction Powder	•	38	0.21	0.52	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Mallotus philippensis (Lam.) Muell. Arg. / HAR 57 (Euphorbiaceae)	Monkey-face Tree	Shrub	Fruit	Powder	Dried fruit are ground. One teaspoon powder mixed with sugar is taken twice a day.	44	0.24	0.62	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Martynia annua L. / HAR 95	Devil's claws, Cat's claw	Herb	Root	Juice	One teaspoon juice of fresh	39	0.22	0.53	1 1 , 2 1 , 3 1 , 4 1 , 50, 6 1 , 70, 80, 9 1 , 100, 110, 120,

(Martyniaceae)					roots is taken daily in the evening.				130, 140, 150
Mentha arvensis L. / HAR 34 (Lamiaceae)	Field mint, Corn mint, Wild mint	Herb	Leaves	Powder	Leaves are dried in shade and then powdered. 10 g of powder are taken before intercourse.	47	0.26	0.68	1, 2, 30, 4, 50, 6, 7, 8, 9, 100, 110, 120, 130, 140, 150
Millettia extensa (Benth.) Baker / HAR 66 (Fabaceae)	Not found	Climber	Roots, Leaves	Powder	Roots bark is dried and powdered. Half teaspoon powder is taken once a day for one week.	36	0.2	0.55	1■, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Momordica charantia L. / HAR 67 (Cucurbitaceae)	Bitter melon, Bitter gourd	Climber	Seeds, Leaves	Powder, Juice	One teaspoon powder should be taken daily for 8- 10 days.	41	0.23	0.57	1■, 2■, 3■, 4■, , 5∘, 6∘, 7∘, 8□, 9■, 10∘, 11□, 12■, 13∘, 14∘, 15∘
Morus alba L. / HAR 4 (Moraceae)	White mulberry	Tree	Bark	Decoction	•	45	0.25	0.63	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 12 m , 130, 140, 150
Nicotiana tabacum L. / HAR 35 (Solanaceae)	Common tobacco	Herb	Leaves	Powder	Half a teaspoon of the powder is taken with water once daily.	56	0.31	0.83	10, 20, 30, 40, 50, 60, 70, 80, 9∎, 100, 110, 120, 130, 140, 150
Ocimumtenui florum L. / HAR 36 (Lamiaceae)	. Holy basil	Shrub	Leaves, Seed	Powder	Half tea spoon powder of dried plant material is mixed in tea and used twice a day.	37	0.21	0.53	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150

Ophiopogon intermedius D. Don / HAR 68 (Convallariaceae)	Himalayan Lily turf	Herb	Rhizome	Decoction	A rhizome is boiled and mixed with alcohol and used in very small quantity.	40	0.22	0.57	1■, 2○, 3○, 4○, 5○, 6○, 7○, 8○, 9■, 10○, 11○, 12○, 13○, 14○, 15○
Petroselinum crispum (Mill.) Fuss / HAR 12(Apiaceae)	Parsley	Herb	Whole plant	Decoction	*	43	0.24	0.62	10, 20, 30, 40, 50, 60, 7∎, 80, 90, 100, 110, 120, 130, 140, 150
Piper betle L. / HAR 98 (Piperaceae)	Betel pepper	Herb	Leaves	Juice	One teaspoon of juice is used once a day for two weeks.	39	0.22	0.55	1 a , 2 a , 30, 4 a , 50, 6 a , 70, 80, 9 a , 100, 11 a , 120, 130, 140, 150
Pluchea lanceolata (DC.) C. B. Clarke / HAR 22 (Asteraceae)	Pluchea	Shrub	Whole plant	Juice, Decoction	The whole plant is crushed in water and used regularly.	46	0.26	0.69	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Plumbago zeylanica L. / HAR 69 (Plumbaginaceae)	Ceylon leadwort	Shrub	Root, stem, Bark	Powder	One teaspoon powdered plant material along with buttermilk is used.	47	0.26	0.69	10, 20, 30, 40, 50, 60, 70, 8□, 9■, 100, 11■, 120, 130, 140, 15■
Polemonium caeruleum L. / HAR 70 (Polemoniaceae)	Jacob's ladder, Bambino blue	Herb	Whole plant	Juice, Decoction	The whole plant is crushed, and juice obtained is used with water once daily.	40	0.22	0.59	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Portulaca oleracea L. / HAR 71 (Portulacaceae)	Purslane	Herb	Seed	Decoction	-	42	0.23	0.59	10, 20, 30, 40, 50, 60, 70, 80, 9∎, 100, 110, 120, 130, 140, 150
Cullen corylifolium (L.) Medik. / HAR 99 (Fabaceae)) Psoralia	Herb	Whole plant	Juice, Powder	50 mL juice of fresh plant material is taken with honey twice daily.	35	0.19	0.51	10, 20, 3∎, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150

Punica granatum L. / HAR 17 (Punicaceae)	Pomegranate	Tree	Fruit	Powder	One teaspoon of the powder is taken daily before sleeping.	52	0.29	0.76	10, 20, 30, 40, 5∎, 60, 70, 80, 9□, 100, 110, 120, 130, 14□, 150
Pyrus communis L. / HAR 38 (Rosaceae)	Pear	Tree	Seeds, Leaves	Powder	Half a teaspoon of powder and sugar is mixed in water and used twice daily.	38	0.21	0.57	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Raphanus sativus L. / HAR 89 (Brassicaceae)	Radish	Herb	Roots	Juice	One teaspoon juice of fresh roots is used thrice daily for 15-30 days.	39	0.22	0.55	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Ricinus communis L. / HAR 39 (Euphorbiaceae)	Castor oil plant	Shrub	Seed	Powder	10 g of powdered seeds is taken once daily for 5 days.	47	0.26	0.66	1 1 , 20, 30, 4 1 , 50, 60, 7 1 , 8 1 , 9 1 , 10 1 , 11 1 , 12 1 , 130, 140, 150
Rubus ellipticus Sm. / HAR 40 (Rosaceae)	Golden Himalayan raspberry	Shrub	Whole plant	Decoction		42	0.23	0.59	1∎, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9∎, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘
Sapindus mukorossi Gaertn. / HAR 72 (Sapindaceae)	Soap nuts	Tree	Fruit	Powder	Dried fruit are crushed and mixed with water, is taken orally before intercourse.	39	0.22	0.56	1■, 2∘, 3■, 4∘, 5∘, 6∘, 7∘, 8□, 9■, 10∘, 11□, 12∘, 13∘, 14∘, 15∘
Sapindus trifoliatus L. / HAR 73 (Sapindaceae)	Soap nuts	Tree	Fruit	Powder	Dried fruit are crushed and mixed with water, is taken before intercourse.	35	0.19	0.49	1∎, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9∘, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘

Cynanchum viminale (L.) L. / HAR 74 (Apocynaceae)	Moon plant, Moon creeper	Herb	Stem	Juice	One cup of the extract is taken thrice a day for 5 days.	35	0.19	0.5	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Solanum surattense Burm. f. / HAR 27 (Solanaceae)	Wild Egg Plant, Yellow nightshade	Shrub	Berries, Seed, Roots	Powder	One teaspoon powder is taken orally with water for three days.	52	0.29	0.8	1■, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∘, 9■, 10∘, 11∘, 12■, 13∘, 14∘, 15∘
Syzygium cumini (L.) Skeels / HAR 41 (Myrtaceae)	Java plum/ black plum	Tree	Seed, Leaves	Powder	One teaspoon powder of dried plant material is taken with cow milk once daily.	38	0.21	0.57	10, 20, 30, 40, 50, 60, 70, 80, 9∎, 100, 110, 120, 130, 140, 150
Tecoma stans (L.) Juss. ex Kunth / HAR 92 (Bignoniaceae)	Yellow bells	Shrub	Fruit	Juice	Fruit juice are taken twice daily.	37	0.21	0.53	10, 2 1 , 3 1 , 4 1 , 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Terminalia arjuna (Roxb. ex DC.) Wight &Arn. / HAR 75 (Combretaceae)	White Murdah Arjuna Myrobalan	Tree	Bark	Decoction	100 g of bark is boiled in water to prepare a decoction. One cup of decoction is taken thrice daily.	40	0.22	0.59	1 m , 20, 30, 40, 50, 60, 70, 80, 9 m , 10 m , 11 m , 120, 130, 140, 150
Terminalia chebula Retz. / HAR 100 (Combretaceae)	Chebulic Myrobala	Tree	Fruit	Decoction	•	41	0.23	0.59	10, 20, 3 m , 40, 50, 60, 70, 80, 90, 10 m , 11 m , 120, 130, 140, 150
<i>Thespesia populnea</i> (L. Sol. ex Corréa / HAR 94)Tulip tree	Tree	Leaves	Juice	Fresh leaves are crushed and mixed with	36	0.2	0.51	1∘, 2∘, 3∎, 4∘, 5∘, 6∘, 7∘, 8∘, 9□, 10∘, 11∘, 12∘, 13∘, 14∘, 15∘

(Malvaceae)					water; one cup of the filtered mixture is taken for 10 days.				
Cascabela thevetia (L.) Lippold / HAR 93 (Apocynaceae)	Yellow oleander	Shrub	Bark	Juice	Juice extract is mixed with an equal amount of water and taken once daily.	38	0.21	0.56	10, 2 m , 3 m , 4 m , 50, 60, 70, 80, 90, 100, 11 m , 120, 130, 140, 150
Tinospora sinensis (Lour.) Merr. / HAR 76 (Menispermaceae)	Tinospora, Gulancha	Climber	Stem	Powder	A small piece of stem is crushed along salt crystals. One teaspoon powder is taken with water daily.	37	0.21	0.52	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Tribulus pentandrus Forssk. / HAR 24 (Zygophyllaceae)	Caltrop	Herb	Whole plant	Powder	The dried plant is ground and a half teaspoon is mixed in water and taken before intercourse.	45	0.25	0.64	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Tribulus terrestris L. / HAR 25 (Zygophyllaceae)	Land caltrops	Herb	Whole plant	Powder	The dried plant is ground and a half teaspoon is mixed in water and taken before intercourse.	48	0.27	0.7	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Trichodesma indicum (L.) Lehm. / HAR 23 (Boraginaceae)	Indian borage	Herb	Leaves, Flower	Juice	Half cup juice of fresh plant material is used twice daily for 15-20 days.	48	0.27	0.72	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Trifolium alexandrinum L.	Berseem clover	Herb	Whole plant	Decoction	•	43	0.24	0.63	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120,

/ HAR 9 (Fabaceae)					is used once daily.				130, 140, 150
Trigonella foenum- graecum L. / HAR 42 (Fabaceae)	Fenugreek seed	Herb	Seed	Decoction	•	40	0.22	0.57	1 1 , 2 1 , 3 1 , 40, 50, 6 1 , 70, 80, 9 1 , 100, 110, 120, 130, 140, 150
Trillium govanianum Wall. ex D.Don / HAR 59 (Melanthiaceae)	Wake Robin, Wood lily	Herb	Roots	Decoction	1 0	45	0.25	0.65	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150
Vitex negundo L. / HAR 79 (Verbenaceae)	Chast plant	Shrub	Seed	Powder	Half a teaspoon of the powder is taken once daily for one week.	38	0.21	0.53	1∎, 2∘, 3∘, 4∘, 5∘, 6∘, 7∘, 8∎, 9∘, 10∘, 11□, 12∘, 13∘, 14∘, 15∘
Zea mays L. / HAR 6 (Poaceae)	Maize, Corn	Herb	Inflorescence	Paste	Fresh flowers are crushed into a paste. One teaspoon of paste is taken once daily for 8- 10 days.	43	0.24	0.63	10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150

^{1*} FC = Frequency of citation (No. of Informants); 2*RFC=Relative Frequency of citation; 3*DCI=Disease Consensus Index; 4*○ = Not reported; □= Dissimilar use; ■= Similar use

^{1 = (37); 2 = (21); 3 = (22); 4 = (117); 5 = (118); 6 = (119); 7 = (39); 8 = (26); 9 = (38); 10 = (25); 11 = (27); 12 = (120); 13 = (23); 14 = (121); 15 = (122)}